	Applicati n No.	Applicant(s)	
Notice of Allowability	09/989,996	9,996 KHALID, SHAHZAD	
Notice of Allowability	Examin r	Art Unit	
	Connie C. Yoha	2818	
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate comm IGHTS. This application is:	n this application. If not including unication will be mailed in d	luded lue course. <b>THIS</b>
<ol> <li>This communication is responsive to <u>amendment filed 7/2</u></li> <li>The allowed claim(s) is/are <u>1,2,5-8 and 10-22</u>.</li> <li>The drawings filed on <u>11/20/01</u> are accepted by the Exam 4. Acknowledgment is made of a claim for foreign priority und a) All b) Some* c) None of the:         <ol> <li>Certified copies of the priority documents have</li> <li>Certified copies of the priority documents have</li> </ol> </li> </ol>	iner. der 35 U.S.C. § 119(a)-(d) o e been received.		
3.  Copies of the certified copies of the priority do	cuments have been receive	d in this national stage app	lication from the
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:  5.  Acknowledgment is made of a claim for domestic priority u (a)  The translation of the foreign language provisional a 6. Acknowledgment is made of a claim for domestic priority u	application has been receive	ed.	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of below. Failure to timely comply will result in ABANDONMENT of	f this communication to file a this application. THIS THE	reply complying with the re REE-MONTH PERIOD IS N	equirements noted OT EXTENDABLE.
7. A SUBSTITUTE OATH OR DECLARATION must be subn	nitted. Note the attached EX son(s) why the oath or decla	AMINER'S AMENDMENT ( ration is deficient.	or NOTICE OF
<ul> <li>8.  CORRECTED DRAWINGS must be submitted.</li> <li>(a)  including changes required by the Notice of Draftsper</li> <li>1)  hereto or 2)  to Paper No</li> <li>(b)  including changes required by the proposed drawing</li> <li>(c)  including changes required by the attached Examiner</li> </ul>	correction filed, which	ch has been approved by th	
Identifying indicia such as the application number (see 37 CFR 1 each sheet.	.84(c)) should be written on t	he drawings in the front (not	the back) of
<ol> <li>DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT FOR T</li> </ol>	sit of BIOLOGICAL MATI HE DEPOSIT OF BIOLOGI	ERIAL must be submitted CAL MATERIAL.	d. Note the
Attachment(s)			
<ul> <li>1☐ Notice of References Cited (PTO-892)</li> <li>3☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>5☐ Information Disclosure Statements (PTO-1449), Paper No. 0</li> <li>7☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	4☐ Interview 302. 6⊠ Examine 8⊠ Examine 9☐ Other	of Informal Patent Application Summary (PTO-413), Paper's Amendment/Comment er's Statement of Reasons for the Comment of Reasons	per No for Allowance

#### **DETAILED ACTION**

#### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Peter A. Gallagher on 9/30/03.

2. The application has been amended as follows:

Claim 1, line 3, delete "lit line". Replace it with --- bit-line ---.

Claim 1, after the last word of the claim, add the following text: --- such that the amplified voltage signal increasingly deviates from the predetermined reference voltage with increasing time ---.

Claim 10, after the last word of the claim, add the following text: --- such that the amplified voltage signal increasingly deviates from the predetermined reference voltage with increasing time ---.

Claim 18, after the last word of the claim, add the following text: --- such that the amplified voltage signal increasingly deviates from the predetermined reference voltage with increasing time ---.

# Response to Arguments

3. Examiner took notice of the remarks and amendments made by applicant filed on 7/21/03.

## Response to Amendment

- 4. This office action is in response to Amendment filed on 7/21/03.
  - Claim 5, 19, 20 and 21 are amended.
  - Claims 3, 4 and 9 are canceled.
- 5. Claims 1-2, 5-8, and 10-22 are pending.

## Allowable Subject Matter

6. Claims 1-2, 5-8, and 10-22 are allowed.

Claims 1-2, 5-8, and 10-22 are considered allowable since the prior art made of record and considered pertinent to the applicant's disclosure does not teach or suggest the claimed inventions having a device and method of reconfiguring the pre-charge circuit as an amplifier circuit to amplifying the voltage signal such that the amplified voltage signal increasingly deviates from the predetermined reference voltage with increasing time. Prior art also does not teach or suggest the claimed invention having the pre-charge circuit to includes a unit gain buffer having an input to which a predetermined reference voltage is applied, and an output coupled to provide a bias current to the cascode device to pre-charge the bit-line by charging a node of the cascode device to the predetermined reference voltage.

Application/Control Number: 09/989,996 Page 4

Art Unit: 2818

#### Conclusion

7. Any inquiry concerning this communication should be directed to Connie Yoha whose telephone number is (703) 306-5731. The examiner can normally be reached on Monday-Thursday from 8:00 A.M. to 5:30 PM.

8. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms, can be reached on (703) 308-4910. The fax phone number for this Group is (703) 872-9306. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 305-0956.

C.Yoha

September 2003

Connie C. Yoha

Connie Cifol-

Technology 2800